

Tactical Rescue Tools



TACTICAL TOOLS FOR SPECIAL OPERATIONS

Special operations require special equipment. The tools must be quick, light and unobtrusive. Features such as quiet operation and high mobility are decisive, if the operation is to be a success.

With its TACTICAL TOOLS range, WEBER RESCUE SYSTEMS now offers the ideal equipment for the police, the military and special deployment teams.


The spectrum ranges from the versatile combi tools and hydraulic door openers, right through to breaking tools like the Halligan bar.

You require further assistance?

Please get in touch with us via www.weber-rescue.com.

CONTENT

	Page
Combi tools	4-5
Door opener	6-7
Cutter	8
Power unit	9
Accessories	10-11



COMBI TOOL

HAND-VARIO SPS 260 H

Manual powered combitool with integrated hydraulic drive

- Small space required for storage
- Agile handling
- Light weight
- Multi-useable
- Head can be rotated to any position within 360°



BLACK SERIES

Opening	260 mm
Max. cutting force	29 t/281 kN
Cutting force round steel bar	∅ 25 mm
Spreading force in working range	33 – 383 kN
Weight	11.2 kg
Part no.	5934397

MECHANICAL RAM RZM 740



Weight	6.9 kg
Part no.	1056478



COMBI TOOL

RIT TOOL E-FORCE 2

Combi tool especially created for special operations

- For cutting, spreading, pushing and pulling
- Long operating time due to 5.0 Ah capacity
- Rotatable and detachable handle
- Low weight by means of modern materials



BLACK SERIES

Opening	380 mm
Max. cutting force	33 t/324 kN
Max. spreading force	1,305 kN
Pulling force	33.4 - 42.2 kN
Weight	13.8 kg
Part no.	1082900

SPREADER TIPS

Type	Part no.	Weight
Spreader tip	1051896	1.2 kg
Spreader tip	1082918	0.9 kg
Spreader tip	3867323	0.8 kg



DOOR OPENER

DOOR OPENER SET

Battery driven door opener set with integrated hydraulic drive

- For rapid forcible entry of metal doors, security doors in case of fire, accidents or police operations in buildings
- For lifting heavy objects (concrete slabs, steel beams etc.)
- Contains hand pump, hose, door opener and transport case



Pushing force door opener	114.5 kN
Piston stroke door opener	120 mm
Weight	16.0 kg
Part no.	1075344



DOOR OPENER

BLACK SERIES


DO 140 E-FORCE 2

Battery door opener with integrated hydraulic drive

- For rapid forcible entry of metal doors, security doors in case of fire, accidents or police operations in buildings
- For lifting heavy objects (concrete slabs, steel beams etc.)
- Long operating time due to 3.0 or 5.0 Ah capacity
- Low weight by means of modern materials



WEDGES STAB-FIX



Piston stroke	140 mm
Pushing force	11 t/ 205 kN
Weight (incl. battery)	12.9 kg
Part no.	1078140

Width wedges	Dimensions (mm)	Weight	Part no.
75 mm	215 x 75 x 80	0.7 kg	3191796
150 mm	215 x 150 x 80	1.3 kg	3191800



CUTTERS

S 25-20

Lightweight and flexible hydraulic cutters

- For easy cutting of handcuffs and U-shackle locks
- For cutting of metal rods, chains, locks and reinforcements
- Rescue tool for disasters, such as earthquakes and building collapses
- One-handed operation possible
- Also available in battery driven version (E-FORCE 2)



	S 25-20	S 25-20 E-FORCE 2
Max. cutting force	19.5 t/191 kN	19.0 t/186 kN
Weight	7.7 kg	10.9 kg
Part no.	1065612	1082519

BLACK SERIES



POWER UNIT

BATTERY PAC ECO

Extremely lightweight hydraulic power unit with 28 V battery drive

- Multi-useable
- Up to 10 Stunden hours run-time in ECO mode
- Back-pack solution with wide and comfortable belts for safe fit
- Supplied without batteries as standard, 2nd battery optional to double the operation time (10 Ah)
- On request also available with black cover



Weight (oli-filled, incl. 1 battery)	11.2 kg
Part no.	1081828



HALLIGAN TOOL

Best accessory for creating access quickly and effective

- Available as metal cutter or prying tool
- Different sizes for flexible use
- Various applications
- Handle with nonslip surface
- On request also available in black

With prying head			
Length	30" - 762 mm	36" - 914 mm	42" - 1.066 mm
Weight	5.5 kg	5.8 kg	5.9 kg
Part no.	8053529	8053537	8053790
With metal cutting head			
Length	30" - 762 mm	36" - 914 mm	
Weight	5.0 kg	5.7 kg	
Part no.	8052700	8052719	



FIRE AXE

Special fire-axe to supplement the Halligan tool during forcible entry situations

- Can be used for driving in the Halligan tool into position, as well as a wedge to keep the created gap open
- Due to the extremely flat head the axe can penetrate deeply into the material

Dimensions (LxWxH)	930 x 220 x 40 mm
Weight	3.80 kg
Part no.	1081980



PRACTICAL KIT (SET OF IRONS)

Fire-axe combined with a 30" Halligan tool with prying head for optimum use

- With strap to connect the set for carrying

Dimensions (LxWxH)	930 x 220 x 160 mm
Weight	9.55 kg
Part no.	1081981



BATTERY SAW V 28

Battery driven and multi-useable reciprocating saw

- Also available in a set (including 2 batteries, mains charger and carrying case)



Weight	3.0 kg
Part no.	1059177

BLADE EXTRICATION SET

- Carbide-tips for cutting of high strength alloys
- Two different lengths for each application on scene
- Universal blade shank for e.g. AEG, Black&Decker, Bosch, DeWalt, Flex, Hilti, Hitachi, Makita, Metabo, Milwaukee, Porter Cable, Skil, ...



	Part no.
Blade EXTRICATION SET	1078478
4 pcs. blades 150 mm	1078476
6 pcs. blades 230 mm	1078477

GLASS-EX AND CENTRE PUNCH

- To remove laminated windscreens
- Including centre punch to remove safety glass


	Weight	Part no.
Glas-Ex	1.5 kg	8114161
Centre punch	0.06 kg	8027676
Replacement blade		8032858



MASTERKEY ONE-HAND-RAM

- Power-Shot-Technology for maximum effectiveness
- 90% reduction in rebound effect
- Interchangeable head design (Standard head, camera head, hex head)
- In useful transport box with castors

Dimensions (LxWxD)	800 x 520 x 320 mm
Weight	33.5 kg
Part no.	1087806



WEBER-HYDRAULIK GMBH

Heilbronner Straße 30
74363 Güglingen/Deutschland
Telefon +49 (0) 7135/71-10270
Telefax +49 (0) 7135/71-10396
info@weber-rescue.com

Industriegebiet 3 + 4
4460 Losenstein/Österreich
Telefon +43 (0) 7255/6237-120
Telefax +43 (0) 7255/6237-12461
info@weber-rescue.com

WEBERRESCUE
SYSTEMS
www.weber-rescue.com