


Rescue Struts



WEBERRESCUE
SYSTEMS



Content

| | Page |
|---------------------------------|-------|
| Technical information | 3 |
| Trench support | 4 - 5 |
| Buliding collapse set | 6 - 9 |
| Celing and wall support | 10 |
| High strength column and tripod | 11 |

The WEBER RESCUE struts especially were developed for accidents and natural disasters.

They can be used for trench support, building collapse support and for supporting every type of high loads.

The wide range of accessories provides various applications.

WEBER RESCUE Struts...

- lightweight although extremely sturdy because of aluminium construction
- simple construction
- for horizontal, vertical and diagonal application in buildings, trenches, at walls etc.

Flexible Applications ...

- sturdy struts in different sizes
- wide range of extensions, attachment elements, clevis attachments and base plates
- manual and pneumatic operation possible
- all parts are free of any losses



Sets for Trench Support

| Type | | ID-No. | Basis Set | Medium Set | Premium Set |
|-----------------------------------|----------------|-----------|------------|------------|-------------|
| WRS A-Strut | 530-710 mm | 105.310.7 | 4 | 4 | 6 |
| WRS B-Strut | 660-940 mm | 105.311.1 | 4 | 4 | 6 |
| WRS C-Strut | 840-1.240 mm | 105.311.4 | - | 4 | 6 |
| WRS E-Strut | 1.370-2.130 mm | 105.475.6 | - | - | 6 |
| WRS FF-Strut | 2.130-3.350 mm | 105.475.7 | - | - | 6 |
| WRS Extension | 150 mm | 105.475.9 | 4 | 4 | 6 |
| WRS Extension | 300 mm | 105.476.0 | 4 | 4 | 6 |
| WRS Extension | 610 mm | 105.476.2 | - | 12 | 6 |
| WRS Base plate | 64x127x127 mm | 105.311.8 | 8 | 12 | 18 |
| WRS Swivel for strut 23° | | 105.311.9 | 8 | 2 | 18 |
| WRS Lowering hook | | 105.477.9 | 2 | 6 | 2 |
| WRS 2 x Rail | 457x146x38 mm | 105.478.4 | 4 | 1 | 6 |
| WRS 2 x Rail heavy stress (EU) | | 105.478.6 | - | - | 2 |
| WRS Dual air supply assembly (EU) | | 105.478.7 | 1 | 1 | 1 |
| Weight | | | ca. 115 kg | ca. 200 kg | ca. 610 kg |



Trench Support

105.475.7



105.475.6



105.311.4



105.311.1



105.310.7



105.478.7



105.478.6



105.477.9



105.478.4



105.311.9



105.476.2



105.476.0



105.475.9



105.311.8





Building Collapse Sets

| Type | | ID-No. | Basis Set | Medium Set | Premium Set |
|--|----------------|-----------|-----------|------------|-------------|
| WRS A-Strut | 530-710 mm | 105.310.7 | 4 | 4 | 6 |
| WRS B-Strut | 660-940 mm | 105.311.1 | 4 | 4 | 6 |
| WRS C-Strut | 840-1.240 mm | 105.311.4 | - | 4 | 6 |
| WRS E-Strut | 1.370-2.130 mm | 105.475.6 | - | - | 6 |
| WRS FF-Strut | 2.130-3.350 mm | 105.475.7 | - | - | 6 |
| WRS Extension | 150 mm | 105.475.9 | 4 | 4 | 6 |
| WRS Extension | 300 mm | 105.476.0 | 4 | 4 | 6 |
| WRS Extension | 610 mm | 105.476.2 | - | 12 | 6 |
| WRS Extension only with Struts C, D, E, F | 1.220 mm | 105.476.5 | 4 | 2 | 4 |
| WRS Extension only with Struts D, E, F | 1.830 mm | 105.476.6 | 4 | - | 4 |

Maximum one extension per strut permitted!



Bulding Collapse Sets

| Type | | ID-No. | Basis Set | Medium Set | Premium Set |
|------------------------------------|---|-----------|-----------|------------|-------------|
| WRS Swivel for strut 23° |  | 105.311.9 | 8 | 2 | 18 |
| WRS Base plate 64x127x127 mm |  | 105.311.8 | 8 | 12 | 18 |
| WRS Base plate 150 mm |  | 105.476.7 | - | 2 | 4 |
| WRS Base plate |  | 105.476.9 | 6 | 8 | 12 |
| WRS Base plate 300 mm with bracket |  | 105.477.0 | 4 | 3 | 4 |
| WRS Tripod head |  | 105.477.8 | 2 | 2 | 2 |
| WRS C-Grip 100 mm |  | 105.477.1 | 2 | - | - |
| WRS C-Grip 150 mm |  | 105.477.2 | 2 | - | - |
| WRS C-Grip 200 mm |  | 105.477.3 | 4 | 6 | 6 |
| WRS L-Grip |  | 105.477.5 | 4 | 4 | 6 |
| WRS Pivot 45° |  | 105.477.6 | 4 | 2 | 4 |
| WRS Pivot 60° |  | 105.477.7 | 4 | 2 | 4 |
| WRS V-Block |  | 105.477.4 | 2 | - | 2 |
| WRS Static clevis |  | 105.478.8 | 6 | 6 | 6 |
| WRS Static clevis 45° |  | 105.478.9 | 4 | 4 | 4 |
| WRS Rhino head attachment |  | 105.479.0 | - | 2 | - |
| WRS Chain Wedge |  | 105.479.1 | - | 2 | 2 |

Building Collapse Sets

| Type | ID-No. | | Basis Set | Medium Set | Premium Set |
|---|---|-----------|-----------|------------|-------------|
| WRS Rail 1.500 mm |  | 105.478.2 | - | 4 | 4 |
| WRS Rail 2.400 mm |  | 105.478.3 | 4 | - | - |
| WRS 2 x Rail 457x146x38 mm |  | 105.478.4 | - | - | 6 |
| WRS 2 x Rail heavy stress |  | 105.478.5 | - | - | 4 |
| WRS Raker rail nailer |  | 105.479.2 | 12 | 4 | 12 |
| WRS Rake rail adapter |  | 105.479.3 | 4 | 2 | 4 |
| WRS Light duty rail connector |  | 105.478.0 | - | 2 | 2 |
| WRS Heavy duty rail connector (EU) |  | 105.478.1 | - | - | 4 |
| WRS Ratchet strap |  | 105.479.4 | - | 4 | 4 |
| WRS Ratchet strap extension |  | 105.479.5 | - | - | 2 |
| WRS A-Frame set |  | 105.479.6 | - | 1 | 1 |
| WRS Dual air supply assembly (EU) |  | 105.478.7 | - | 1 | 1 |
| WRS Single deadman controller 2,5 bar, aluminium |  | 105.479.7 | 1 | 1 | 1 |
| WRS Air supply assembly tripod |  | 105.479.8 | 1 | 1 | 1 |
| WRS Lowering hook |  | 105.477.9 | - | 2 | 2 |
| WRS Safety chain |  | 105.479.9 | 1 | 1 | 1 |
| WRS Picket |  | 105.480.0 | 8 | 4 | 8 |
| Weight (kg) | | | ca. 570 | ca. 480 | ca. 610 |

Ceiling an Wall Support



Set Ceiling and Wall Support

| Type | | ID-No. | Basis Set |
|-------------------------------|----------------|-----------|------------|
| WRS E-Strut | 1.370-2.130 mm | 105.475.6 | 2 |
| WRS FF-Strut | 2.130-3.350 mm | 105.475.7 | 2 |
| WRS Extension | 610 mm | 105.476.2 | 2 |
| WRS Base plate with bracket | 300 mm | 105.477.0 | 2 |
| WRS Pivot 45° | | 105.477.6 | 2 |
| WRS Pivot 60° | | 105.477.7 | 2 |
| WRS Clevis 45° | | 105.478.9 | 2 |
| WRS Raker rail | 1.500 mm | 105.478.2 | 4 |
| WRS Raker rail nailer | | 105.479.2 | 4 |
| WRS Raker railn adaptor | | 105.479.3 | 2 |
| WRS Light duty rail connector | | 105.478.0 | 2 |
| WRS Picket | | 105.480.0 | 4 |
| Weight | | | ca. 176 kg |



Set High Strength Column

- Three Struts for heavy and large area loads
- Maximum support load of 38,5 tons

| Type | ID-No. | Set |
|--------------------------------|-----------|-----------|
| WRS FF-Strut 2.130-3-350 mm | 105.475.7 | 3 |
| WRS Tripod Head | 105.477.8 | 2 |
| WRS Static clevis | 105.478.8 | 6 |
| Weight | | ca. 98 kg |

| Accessories | ID-No. | Set |
|--------------------------------------|-----------|----------|
| WRS Dual air supply assembly (EU) | 105.478.7 | 1 |
| WRS Air supply assembly tripod | 105.479.8 | 1 |
| Weight | | ca. 9 kg |



Set Tripod

- For shaft, height or trench rescue

| Type | ID-No. | Set |
|---------------------------------------|-----------|--------------|
| WRS FF-Strut 2.130-3-350 mm | 105.475.7 | 3 |
| WRS Base plate 300 mm with bracket | 105.477.0 | 3 |
| WRS Tripod head | 105.477.8 | 1 |
| WRS Clevis 45° | 105.480.1 | 6 |
| WRS Safety chain | 105.479.9 | 1 |
| Weight | | ca. 122,0 kg |

| Accessories | ID-No. | Set |
|--------------------------------------|-----------|----------|
| WRS Dual air supply assembly (EU) | 105.478.7 | 1 |
| WRS Air supply assembly tripod | 105.479.8 | 1 |
| Weight | | ca. 9 kg |



WEBER-HYDRAULIK GmbH

Heilbronner Straße 30
74363 Güglingen/Deutschland
Telefon +49 (0) 7135/71-270
Telefax +49 (0) 7135/71-396
info@weber.de
www.weber-hydraulik.com

Industriegebiet 3 + 4
4460 Losenstein/Österreich
Telefon +43 (0) 7255/6237-0
Telefax +43 (0) 7255/6237-461
office@weber-hydraulik.at
www.weber-hydraulik.at

WEBERRESCUE
SYSTEMS